

ACRYLIC SHEETS

The clear choice



Acrylic sheets

Rowad's acrylic sheets have sparkling crystal clarity and outstanding surface hardness, combined with superior weatherability and good chemical resistance. Chemically, these products are also known as polymethyl methacrylate (PMMA) plastic sheets. They are an ideal substitute for glass in many applications.



Benefits

Excellent transparency

Transmission of visible light (92%)

Haze is less than 1%

High durability

Withstands prolonged periods of exposure to weather and sunlight without yellowing or stress cracking

Ease of fabrication and installation

Drilling, threading, tapping, routing and machining operations are easy to perform

Chemical resistance

Unaffected by alkalis, non-oxidizing acids, detergents and aliphatic hydrocarbons

Di-electrical strength

Good di-electric constant, low electrical conductivity

Lightweight

Approximately half the weight of glass

Multiple surface options

Available in plain, textured and prismatic surfaces

Multiple color options

Transparent, translucent and various opaque colors





Applications

Acrylic sheets have a wide range of applications.

Advertising and signage

Retail display cases

Architectural displays

Swimming pool covers

Thermoformed domes

Light covers and skylights

Shower screens and bath enclosures

Window glazing and partitions

Gifts and stationery

Aquariums and transparent tanks

Kitchen cabinets



Commitment to quality

Rowad National Plastics, an affiliate of Tasnee, is one of the leading plastic manufacturers in the field of specialized engineering plastic conversion. Over the last 20 years, we have forged a reputation by establishing an unwavering commitment to quality, flexibility and reliability in all of our products and services. We accomplish this by adopting best practices and working to the highest international standards.

Local production, global availability

Rowad acrylic sheets are produced at our factory in Second Industrial City, Riyadh, Saudi Arabia. Local production capability enables us to reliably serve our customers domestically and in international markets.

Specifications

Typical properties	Units	Value	ASTM method
Density	Gm/cc	1.19	D 792
Water absorption	%	< 0.4	D 570
Flammability	-	НВ	UL - 94
Tensile strength at break	Мра	65	D 638
Elongation at break	%	5	D 638
Flexural strength	Мра	116	D 790
Izod impact notched	Kj/m²	1.9	D 256A
Vicat softening point	°C	110	D 1525
Heat deflection temperature	°C	97	D 648
Shrinkage	%	< 3	BSEN ISO
Relative permittivity	-	2.08	_
Di-electric strength	Kv/mm	24	D 149
Dissipation factor	-	210	D 150
Light transmission	%	> 88	D 1003
Haze	%	< 1.0	D 1003
Refractive index	-	1.49	D 542

Dimensions

Thickness	0.7mm – 15mm	
Standard width	1220mm and 2050mm	
Standard length	2440mm – 3000mm	

Maintenance

Rowad's acrylic sheet can be easily cleaned with a soft cloth or sponge using mild soap or detergent. Rinse and dry with a soft cotton cloth or moist cellulose sponge to prevent water spotting.

Conforms to international standards: ASTM D 4802 TUV Nord EN ISO 9001:2008





Rowad acrylic sheets store locations

Riyadh

Al Madinah Al Munawwarah Road As Sinaiyah 011-2044123

Al Madinah Al Munawwarah Road As Sinaiyah 011-4475375

Tarifa Street Al Saada – Naseem

Dammam

Omar Ibn Abdulaziz Street Al Khodariyah 013-8393009

Hasa

Makkah Road Hasa Industrial City 013-5931673 Al Jubail

Al Madinah Al Munawwarah Road Al Yarmoq

Jeddah

Al Makarunah Street Al Rabwah 012-6592035

Buraydah

As Sinaah – Sinaiyat Al Sulayem 016-3258546

Najran

King Abdulaziz Road Dahbah 017-5433298

Abha

Industrial Area 05-03180264 Jazan

Industrial Area 017-3225156

Yanbu

Khalid Bin Alwalid Al Rabwa 014-3919234

Tabuk

Sinaiyah 014-4252199

Sakaka

Old Sinaiyah 40 Street 014-6264934

Arar

King Khaled Road Industrial Zone 014-661-1180

Contact

Rowad National Plastic Co. Ltd.

Second Industrial City P.O. Box 29452 Riyadh 11457 Kingdom of Saudi Arabia Tel: +966 11 265 1966 Fax: +966 11 265 1973

Email: marketing@rowadplastic.com Web: www.rowadplastic.com

